

Thermal Resistance Test Report

Date: 2020/01/09

Engineer: Bryan

Test Condition


Heat Flux	Pressure	Test Duration	Ambient Temp	Convection
54 Watts	43lbf /19.5kgf	120minutes	50°C	Natural Convection

Test Data

Sample	Tc (°C)	Ta (°C)	Fan Speed (RPM)	F (kgf)	Q (W)	R (°C/W)
1	68.88	50.10	21186	20.34	53.89	0.35

Test Result

Tc (°C)	R (°C/W)
68.88	0.35



Part Number:

RG3216-SN43


Description:

2U CPU COOLER FOR INTEL


SOCKET LGA115X 1200

PROCESSORS

Thermal Resistance Test Report



NATURAL CONVECTION



CIRCULATING CONVECTION

- CPU Cooler Thermal Resistance Measurement Apparatus with Natural Convection Chamber ,4 sets of 650 watts Infrared Radiation Heaters.
- Operating Temperature : Room Temperature ~ 70°C
- CPU Cooler Thermal Resistance Measurement Apparatus with Programmable temperature and humidity chamber, Through a mechanical circulation system, using fans and heating coils.
- Operating Temperature : -40°C ~ 150°C

Compression Force Test Report



Date: 2022/11/07

Engineer: Vic

Test Criterion

Total Force of CPU Cooler		
Typical	Maximum	Minimum
24.94 lbf	26.94 lbf	22.04 lbf

Test Condition

PCB Thickness	CPU Height (about PCB)
1.6mm	7.71mm

Test Data

Sample	Compression Force
1	25.1 lbf
2	24.3 lbf
3	24.8 lbf
AVG	24.73 lbf

Test Result

Pass	Compression Force of CPU Cooler = 24.73 lbf
------	---------------------------------------------

Part Number:

RG3216-SN43

Description:

2U CPU COOLER FOR INTEL SOCKET

LGA115X 1200 PROCESSORS

Compression Force Test Report



- The universal clip force measuring device is a tool for measuring the clip holding force for the clip on the CPU Cooler.
- Measuring pressure range 0~220lbf,: accuracy 0.1%FS