

WPR Series



Reference Table


REGO P/N	Base Size	Height
WPR40001-1030ZA	40 x 40	10.0
WPR40001-1530ZA		15.0
WPR40001-2030ZA		20.0
WPR40001-2530ZA		25.0
WPR45001-1030ZA	45 x 45	10.0
WPR45001-1530ZA		15.0
WPR45001-2030ZA		20.0
WPR45001-2530ZA		25.0
WPR50001-1030ZA	50 x 50	10.0
WPR50001-1535ZA		15.0
WPR50001-2035ZA		20.0
WPR50001-2535ZA		25.0
WPR54001-1030ZA	54 x 54	10.0
WPR54001-1540ZA		15.0
WPR54001-2040ZA		20.0
WPR54001-2540ZA		25.0
WPR60001-1030ZA	60 x 60	10.0
WPR60001-1540ZA		15.0
WPR60001-2040ZA		20.0
WPR60001-2540ZA		25.0
WPR70001-1030ZA	70 x 70	10.0
WPR70001-1540ZA		15.0
WPR70001-2040ZA		20.0
WPR70001-2540ZA		25.0

WPR 40 Series Specification & Performance Data

1. Material : AL 6063

2. Finish : black anodize

3. All dimensions are in millimeter (mm) [inch].





Model	Height (h)	Base (t)	Weight (grams)
WPR40001-1030ZA	10.0	3.0	15.8
WPR40001-1530ZA	15.0		17.6
WPR40001-2030ZA	20.0		20.0
WPR40001-2530ZA	25.0		22.4

Attachment :

Push pin : brass

Wire Spring :

Ø 0.5mm , music wire , nickel plating



Model	Air Velocity / R_{th} ($^{\circ}\text{C}/\text{W}$)			
	200 (LFM)	400 (LFM)	600 (LFM)	800 (LFM)
WPR40001-1030ZA	4.21	3.11	2.59	2.30
WPR40001-1530ZA	3.23	2.43	2.01	1.82
WPR40001-2030ZA	2.53	1.86	1.58	1.43
WPR40001-2530ZA	2.04	1.56	1.31	1.19



Heat Source (L*W) : 12.7 x 12.7 mm

WPR 45 Series Specification & Performance Data

1. Material : AL 6063

2. Finish : black anodize

3. All dimensions are in millimeter (mm) [inch].





Model	Height (h)	Base (t)	Weight (grams)
WPR45001-1030ZA	10.0	3.0	20.2
WPR45001-1530ZA	15.0		23.0
WPR45001-2030ZA	20.0		26.0
WPR45001-2530ZA	25.0		29.2

Attachment :

Push pin : brass

Wire Spring :

\varnothing 0.5mm , music wire , nickel plating



Model	Air Velocity / R_{th} (°C/W)			
	200 (LFM)	400 (LFM)	600 (LFM)	800 (LFM)
WPR45001-1030ZA	3.88	2.83	2.38	2.16
WPR45001-1530ZA	2.88	2.16	1.80	1.64
WPR45001-2030ZA	2.33	1.72	1.48	1.37
WPR45001-2530ZA	1.89	1.43	1.24	1.15


Heat Source (L*W) : 12.7 x 12.7 mm

WPR 50 Series Specification & Performance Data

1. Material : AL 6063

2. Finish : black anodize

3. All dimensions are in millimeter (mm) [inch].





Model	Height (h)	Base (t)	Weight (grams)
WPR50001-1030ZA	10.0	3.0	26.0
WPR50001-1535ZA	15.0		33.0
WPR50001-2035ZA	20.0	3.5	37.2
WPR50001-2535ZA	25.0		40.6

Attachment :

Push pin : brass

Wire Spring :

Ø 0.5mm , music wire , nickel plating



Model	Air Velocity / Rth (°C/W)			
	200 (LFM)	400 (LFM)	600 (LFM)	800 (LFM)
WPR50001-1030ZA	3.30	2.38	1.97	1.77
WPR50001-1535ZA	2.31	1.72	1.48	1.30
WPR50001-2035ZA	1.85	1.40	1.21	1.10
WPR50001-2535ZA	1.56	1.20	1.01	0.93


Heat Source (L*W) : 12.7 x 12.7 mm

WPR 54 Series Specification & Performance Data

1. Material : AL 6063

2. Finish : black anodize

3. All dimensions are in millimeter (mm) [inch].





Model	Height (h)	Base (t)	Weight (grams)
WPR54001-1030ZA	10.0	3.0	30.0
WPR54001-1540ZA	15.0		41.8
WPR54001-2040ZA	20.0	4.0	45.2
WPR54001-2540ZA	25.0		52.6

Attachment :

Push pin : brass

Wire Spring :

Ø 0.5mm , music wire , nickel plating



Model	Air Velocity / R _{th} (°C/W)			
	200 (LFM)	400 (LFM)	600 (LFM)	800 (LFM)
WPR54001-1030ZA	3.10	2.23	1.89	1.70
WPR54001-1540ZA	2.27	1.64	1.38	1.23
WPR54001-2040ZA	1.86	1.41	1.15	1.00
WPR54001-2540ZA	1.53	1.16	0.96	0.82


Heat Source (L×W) : 12.7 x 12.7 mm

WPR 60 Series Specification & Performance Data

1. Material : AL 6063

2. Finish : black anodize

3. All dimensions are in millimeter (mm) [inch].





Model	Height (h)	Base (t)	Weight (grams)
WPR60001-1030ZA	10.0	3.0	37.4
WPR60001-1540ZA	15.0		51.8
WPR60001-2040ZA	20.0	4.0	57.2
WPR60001-2540ZA	25.0		62.8

Attachment :

Push pin : brass

Wire Spring :

\varnothing 0.5mm , music wire , nickel plating



Model	Air Velocity / R _{th} (°C/W)			
	200 (LFM)	400 (LFM)	600 (LFM)	800 (LFM)
WPR60001-1030ZA	2.92	2.17	1.83	1.62
WPR60001-1540ZA	1.99	1.47	1.22	1.09
WPR60001-2040ZA	1.50	1.12	0.94	0.84
WPR60001-2540ZA	1.30	1.00	0.85	0.75



Heat Source (L*W) : 12.7 x 12.7 mm

WPR 70 Series Specification & Performance Data

1. Material : AL 6063

2. Finish : black anodize

3. All dimensions are in millimeter (mm) [inch].





Model	Height (h)	Base (t)	Weight (grams)
WPR70001-1030ZA	10.0	3.0	50.0
WPR70001-1540ZA	15.0		69.2
WPR70001-2040ZA	20.0	4.0	76.8
WPR70001-2540ZA	25.0		83.8

Attachment :

Push pin : brass

Wire Spring :

\varnothing 0.5mm , music wire , nickel plating



Model	Air Velocity / Rth (°C/W)			
	200 (LFM)	400 (LFM)	600 (LFM)	800 (LFM)
WPR70001-1030ZA	2.38	1.80	1.56	1.45
WPR70001-1540ZA	1.68	1.27	1.07	0.96
WPR70001-2040ZA	1.38	1.04	0.89	0.80
WPR70001-2540ZA	1.12	0.88	0.73	0.66

Heat Source (L*W) : 12.7 x 12.7 mm