

# Thermal Resistance Test Report

Date:2020/05/25

Engineer: Ken

## Test Condition

Heat Flux	Pressure	Test Duration	Ambient Temp	Convection
65 Watts	28lbf /12.7kgf	120minutes	45°C	Natural Convection

## Test Data

Sample	Tc (°C)	Ta(°C)	Fan Speed (RPM)	F (kgf)	Q (W)	R (°C/W)
1	70.03	45.90	1634	13.28	64.91	0.37

## Test Result

Tc(°C)	R (°C/W)
70.03	0.37



Part Number:

**RG3229-60R-LN**

Description:

**2U CPU COOLER FOR INTEL**


**SOCKET LGA115X 1200**

**PROCESSORS**

# Thermal Resistance Test Report



## NATURAL CONVECTION



## CIRCULATING CONVECTION

- CPU Cooler Thermal Resistance Measurement Apparatus with Natural Convection Chamber ,4 sets of 650 watts Infrared Radiation Heaters.
- Operating Temperature : Room Temperature ~ 70°C
- CPU Cooler Thermal Resistance Measurement Apparatus with Programmable temperature and humidity chamber, Through a mechanical circulation system, using fans and heating coils.
- Operating Temperature : -40°C ~ 150°C

# Compression Force Test Report



Date: 2022/11/07  
Engineer: Vic

### Test Criterion

Total Force of CPU Cooler		
Typical	Maximum	Minimum
29.29 lbf	32.17 lbf	26.41 lbf

### Test Condition

PCB Thickness	CPU Height (about PCB)
1.6mm	7.71mm

### Test Data

Sample	Compression Force
1	28.8 lbf
2	29.0 lbf
3	29.2 lbf
AVG	29.0 lbf

### Test Result

Pass	Compression Force of CPU Cooler = 29.0 lbf
------	--

Part Number:

**RG3229-60R-LN**

Description:

**2U CPU COOLER FOR INTEL SOCKET**

**LGA115X 1200 PROCESSORS**

# Compression Force Test Report



- The universal clip force measuring device is a tool for measuring the clip holding force for the clip on the CPU Cooler.
- Measuring pressure range 0~220lbf,: accuracy 0.1%FS